	anten igi japonin 19 Peringga on avon	e in the contract of the section of	ere er burer i la Jejekar gereke 1844	and the second s	erren eta
3					PAVE
Entered in P			Checked I Copy N I	by Caler D to Field Offi	•
Location Ma	Difference of the second second		Approval		
Card Indone	d ate or Fee Land		Disapprov	d Letter	
	MPLETION DATA:				
Date 1	Well Completed	8-15-63	Location		
하는 그 첫째 하다.	WV		Band rele State	of Fee Land	1
			ALED		
Dril	ler's Log 16-51	43 .			
) Sec	ctric Logs (No. )	_3		GR-N	
	Lit M		GR	Others	MICTO
Lub	signed		XX	Clour	Samuel
- Lud	syund	Juga.	X Y	Mayor	al numery

# (SUBMIT IN TRIPLICATE)


## **UNITED STATES** DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Approval expires 12-31-60.
Incan	Agency
Nava	
Allotte	B
	14-20-603-24

Budget Bureau No. 42-R359.4.

SUNDRY NOTICES A	AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL XX  NOTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING.	
NOTICE OF INTENTION TO ABANDON WELL.	
(INDICATE ABOVE BY CHECK MAR	K NATURE OF REFORT, NOTICE, OR OTHER DATA)
	July 5 , 196
Well No. 1-4 Dunes is located 1980 ft. fr  NW SE section 42 South  (M Sec. and Sec. No.) (Twp.)	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
* <b>4 *</b> * * 4	Juan Utah
(Field) (Count	y or Subdivision) (State or Territory)
The elevation of the derrick floor above sea le	evel is 4850 ft.
DETA	ILS OF WORK
State names of and expected depths to objective sands; show si	zes, weights, and lengths of proposed casings; indicate mudding jobs, ceme other important proposed work)
Compass Exploration, Inc., proporto test the oil and gas potential	oses to drill a well at the above located of all formations through the Desert rilled to an approximate total depth of
sufficient cement to circ	" surface casing and set with
and/or gas of commercial	potential.
the hole will be reamed o	erflow is encountered above 1500' out to that depth and an intermediate
string of 7-5/8" casing w	ill be rin and cemented at that depth drilled to total depth.
	n writing by the Geological Survey before operations may be commenced.
Company Compass Exploration, Inc.	
Address 101 University Blvd.	· · · · · · · · · · · · · · · · · · ·
Denver 6, Colorado	By tallarelly
	Title Manager of Exploration and Production

<b>ampany</b>	COMPASS EXPLORATIO	M .MCORPORATED			
loase .	Dunes	Wall No. 1	4		
	4, 7 42 SOUTH	23 EAST, S.	L.M.		
section	1980' FROM THE SOUTH	LINE AND 1980'	FROM THE	EAST	LINE
**. <b>*</b> *	1838‡ ground				



Scale - 4 inches equal i mile

this is to certify that the above plus was supported from field note of octupatively made by one or under mission visiting, and that the same are true and to sect to one beat of my knowledge, and books.

Region of Lord Services

James 1. Leese

Utah Reg. No. 1472

1 July

, <sub>12.</sub> 63

### The Manual Te

# OIL & GAS CONSERVATION COMMISSION OF THE STATE OF UNAH

### DESIGNATION OF AGINT

initial purchaser who is cond of Utah, does, pursuant to th	operator, transporter, refiner, gasoline or ucting oil and/or gas operations in the State Rules and Regulations, and Rules of Practice Gas Conservat: on Commission of the State of
Utah, hereby appoint,	(high hor or its) designated agent
175 8 Main Street sale lake persons authorized under the Utah.	whose address is where or its) designated agent the notices from said Commission, or from other and Gas Conservation Act of the State of
changes of address of the age and in the latter case, the di	agrees to immediately report in writing, all ent, and any termination of the agent's authoritiesignation of a new agent or agents shall be mation of agent, however, shall remain in full aless a new designation agent is filed in accordated regulations.
Effective Date of Designation	1
	July 1, 1963
Company	Address
Compass Exploration, I	nc. 101 University Boulevard Denver 6, Colorado
(Signature)	Vice President

NOTE: Agent must be a resident of Utah.

### COMPASS EXPLORATION, INC.

IOI UNIVERSITY BOULEVARD
DENVER 6, COLORADO



July 9, 1963

Utah State Land Board 105 State Capitol Building Salt Lake City, Utah

#### Gentlemen:

Enclosed are copies of the Sundry Notices and Reports on Wells for the captioned well:

Compass Exploration, Inc.
Well #1-4 Dunes
NW SE Section 4
Township 42 South, Fange 23 East
San Juan County, Utah

Very truly yours,

COMPASS EXPLORATION, INC.

P. J. Farrelly/

Manager of Exploration

and Production

PF/gm

Enclosures

Compass Exploration, Inc. 101 University Boulevard Denver 6, Colorado

Attention: P. J. Farrelly, Manager of Expl. & Prod.

#### Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Dunes #1-4, which is to be located 1980 feet from the south line and 1980 feet from the east line of Section 4, Township 42 South, Range 23 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted. However, this approval is conditional upon a Designation of Agent being file with this Commission in accordance with Rule A-4, General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil & Gas Conservation Commission.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to <u>immediately</u> notify the following:

PAUL W. BURCHETI, Chief Petroleum Engineer Office: DA 8-5771 or DA 8-5772 Home: CR 7-2890 Salt Lake City, Utah

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Enclosed please find Form OGCC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling,

particularly assessable near surface water sands.

Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,

OIL & CAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

#### CBF: cnp

cc:

P. T. McGrath, District Engineer U. S. Geological Survey

Farmington, New Mexico

H. L. Coonts, Petroleum Engineer Oil & Gas Conservation Commission Moab, Utah

# STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

State Capitol Building
Salt Lake City 14, Utah

## REPORT OF OPERATIONS AND WELL STATUS REPORT

StateU	tah	Cou	<sub>inty.</sub> San	<u>Juan</u>	·	Field or	Lease	#1-4 Dunes (Wildcat)
The						d producti	on (inclu	ding drilling and producing wells) for
•	July,	1963		, 19	<b>.•</b>			
Agent's	address	101U	Iniversit	y Boule	vard	Comp	anyC.o	mpass Exploration, Inc.
		Denve	er 6, Col	lorado		Signed	l	name Dr. O. Bren
Phone	x826x8	<b>≈50:0</b> ×	388 <b>-</b> 6464	4		Agent	's title	Secretary
State Lea	ise No		Fede	eral Lease	No		. Indian I	14-20-603-245 Lease NoFee & Pat. [
Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS  (If drilling, Depth; if shut down, Cause;
4 NW SE	42	23	1				:	Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
MW DE	44	23	1					Drilling @ 4701'
						!		
					ı			
-								

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

\*STATUS: F-Flowing P-Pumping GL-Gas Lift SI-Shut In D-Dead GI-Gas Injection TA-Temp. Aban.

WI-Water Injection

#### August 19, 1953

Compass Exploration, Inc. 101 University Blvd. Denver 6, Colorado

Attn: P. J. Farrelly, Manager of Exploration & Production

Re: Well No. Dunes #1-4
Sec. 4, T. 42 S., R. 23 E.
San Juan County, Utah

#### Gentlemen:

We have received your electric logs for the above mentioned well, and note that you have marked that these logs be held confidential. Please refer to Rule C-5 (b) General Rules and Regulations and Rules of Fractice and Fracedure, Utah State Oil & Gas Conservation Commission.

You are required to file a letter with this office if you desire information on said well to be held confidential. If we do not hear from you by August 30, 1963, we will assume that information on this well can be released.

-----

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK RECORDS CLURK

CNF: tw

### COMPASS EXPLORATION, INC.

IOI UNIVERSITY BOULEVARD DENVER 6, COLORADO

August 20, 1963

The State of Utah Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

Attention: Clarella N. Peck, Records Clerk

Re: Compass Exploration, Inc.

Well #1-4 Dunes

Sec. 4, T. 42 S., R. 23 E.

San Juan County, Utah

#### Gentlemen:

We hereby request that the logs you have received and information which will follow on the cationed well be held confidential until further notice from Compass.

We appreciate your cooperation in this matter.

Yours very truly,

COMPASS EXPLORATION, INC.

P. J. Farrelly

Manager of Exploration

and Production

PJF/gm

Long Hix E

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

Form 9-881 b (April 1952)

(SUBMIT IN TRIPLICATI)

UNITED STATES

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ndian Agency	***************************************
Navajo	
Allottee	
No. 14	-20-603-24

ICE OF INTENTION TO DR	Ц	su	JBSEQUENT FEPORT	OF WATER SHUT-OFF	
ICE OF INTENTION TO TESTICE OF INTENTION TO RESIDE OF INTENTION TO SHOULD BE TO SHO	T WATER SHUT-OFF DRILL OR REPAIR WELL	SI.	UBSEQUENT REPORT	OF ALTERING CASING OF REDRILLING OR REPAIR OF ABANDONMENT	
TICE OF INTENTION TO PU TICE OF INTENTION TO AB	LL OR ALTER CASING	XX		L HISTORY	
(	INDICATE ABOVE BY CHE	CK MARK NATURE	E OF REPORT. NOTICE	October 23,	. 19_
SE Section 4	42 Sou	th 23 Ea			
W SE Section 4 (14 Sec. and Sec. No.) Wildcat (Field)	42 Sou (Twp.) San	(Range County or Subs	ist ge) inty division)	SLPM (Meridian)	
W SE Section 4  (14 Sec. and Sec. No.)  Wildcat  (Field)  ne elevation of the contents	42 Sou (Twp.) San derrick floor above	Juan County or Subde sea level is	ist inty division) 4850 ft. OF WORK	(Meridian)  (State or Territory)  (State or Territory)	
W SE Section 4  (14 Sec. and Sec. No.)  Wildcat  (Field)  the elevation of the office of the contract of and expected of the contract of the c	42 Sou (Twp.) San depths to objective sanding point	(Range (County or Subcle sea level is DETAILS (Is; show sizes, wells, and all other is	ist ge) inty division) 4850 ft. OF WORK lights, and lengths of important proposed	(Meridian)  (State or Territory)  (State or Territory)	ding jobs, ce
W SE Section 4  (14 Sec. and Sec. No.)  Wildcat  (Field)  The elevation of the content of the following the fo	depths to objective sanding point ation, Inc. p depths anner: 42 Sou (Twp.) San depths to objective sand ing point ation, Inc. p 3425-5600 325-4425	County or Subde e sea level is DETAILS (Is; show sizes, well is, and all other is proposes to the sea of the s	anty anty altrision)  4850 ft.  OF WORK ights, and lengths of important proposed to plug and ement	SLPH (Meridian)  (State or Territory)  proposed casings; indicate mude	ding jobs, ce
wildcat (Field)  ne elevation of the content of and expected compass Explorers in the following	depths to objective sanding point ation, Inc. page manner:	County or Subde e sea level is DETAILS (lis; show sizes, well to, and all other in proposes 10 and 1	ist go) inty division) 4850 ft.  OF WORK ights, and lengths of important proposed to plug and ement ement ement ement ement	SLPH (Meridian)  (State or Territory)  proposed casings; indicate mude	ding jobs, ce

 Form 9-331 b (April 1952)

(SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency
Allottee
Lease No. 14-20-603-24

		SEQUENT REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO DRILL		SEQUENT REPORT OF SHOOTING OR ACIDIZING	
OTICE OF INTENTION TO CHANGE PLA	110	SEQUENT REPORT OF ALTERING CASING	
OTICE OF INTENTION TO TEST WATER	5110 1-011 2	SEQUENT REPORT OF REDRILLING OR REPAIR.	
OTICE OF INTENTION TO REDRILL OR NOTICE OF INTENTION TO SHOOT OR A	CIDIZE	SEQUENT REPORT OF ABANDONMENT	
IOTICE OF INTENTION TO SHOOT OR AL	0.01	PLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON W			
NOTICE OF INTENTION TO ABARDON II			
(INDICATE	ABOVE BY CHECK MARK NATURE C	OF REPORT, NOTICE, OR OTHER DATA)	
		October 23	19_63
he elevation of the derrick	DETAILS O		dding jobs, ceme
	Inc. plugged and Done in compliance	i abandoned the subject we se with USGS instructions	ell in th
Compass Exploration following manner: (	. Inc. plugged and (Done in compliand 5-5600 - 40 sx 0	cement:	ell in th )
Compass Exploration following manner: (542: 432:	Inc. plugged and Done in compliance 5-5600 - 40 sx 65-4425 - 20 sx 6	cement:	ell in th )
Compass Exploration following manner: ( 542: 432: 232:	Inc. plugged and Done in compliant 5-5600 - 40 sx 65-4425 - 20 sx 65-2450 - 30 sx 6	cement: cement: cement:	ell in th
Compass Exploration following manner: ( 542: 432: 232: 130	Inc. plugged and (Done in compliand 5-5600 - 40 sx 65-4425 - 20 sx 65-2450 - 30 sx 60-1450 - 35 sx 60	cement: cement: cement: cement:	ell in th
Compass Exploration following manner: ( 542: 432: 232: 130: Sur	Inc. plugged and Done in compliant of S-5600 - 40 sx 0 sx 0 sx 0 sx 0 sx 0 -2450 - 30 sx 0 sx 0 face - 20 sx 0	cement: cement: cement: cement: cement:	ell in th
Compass Exploration following manner: ( 542: 432: 232: 130: Sur	Inc. plugged and (Done in compliand 5-5600 - 40 sx 65-4425 - 20 sx 65-2450 - 30 sx 60-1450 - 35 sx 60	cement: cement: cement: cement: cement:	ell in th
Compass Exploration following manner: ( 542: 432: 232: 130: Sur	Inc. plugged and Done in compliant of S-5600 - 40 sx 0 sx 0 sx 0 sx 0 sx 0 -2450 - 30 sx 0 sx 0 face - 20 sx 0	cement: cement: cement: cement: cement:	ell in th
Compass Exploration following manner: ( 542: 432: 232: 130: Sur	Inc. plugged and (Done in compliance) 5-5600 - 40 sx 6 5-4425 - 20 sx 6 5-2450 - 30 sx 6 0-1450 - 35 sx 6 face - 20 sx 6 Hole Marker Erec	cement: cement: cement: cement: ted	
Compass Exploration following manner:  542: 432: 232: 130: Sur: Dry	Inc. plugged and Done in compliance 5-5600 - 40 sx 6 5-4425 - 20 sx 6 5-2450 - 30 sx 6 0-1450 - 35 sx 6 Hole Marker Erect	cement: cement: cement: cement: cement: ted	sy be commenced
Compass Exploration following manner:  542: 432: 232: 130: Sur: Dry	Inc. plugged and Done in compliance 5-5600 - 40 sx 6 5-4425 - 20 sx 6 5-2450 - 30 sx 6 0-1450 - 35 sx 6 Hole Marker Erect	cement: cement: cement: cement: cement: ted  g by the Geological Survey before operations ma	sy be commenced
Compass Exploration following manner: ( 542: 432: 232: 130: Sur	Inc. plugged and Done in compliance 5-5600 - 40 sx 6 5-4425 - 20 sx 6 5-2450 - 30 sx 6 0-1450 - 35 sx 6 Hole Marker Erection, Inc.	cement: cement: cement: cement: cement: ted	ay be commenced

Title Manager of Exploration and Production

# Form 9-381 b (April 1952)

(SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ndian Agency	_
Navajo	
Allottee	
N. 14-20-603-24	

o g	GEOLOGICAL SURVEY	Lease No. 14-24-003-243
23E SUNDRY NO	TICES AND REPORT	S ON WELLS
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT SUBSEQUENT REPORT SUBSEQUENT REPORT SUBSEQUENT REPORT SUBSEQUENT REPORT	OF WATER SHUT-OFF
(INDICATE ABO	VE BY CHECK MARK NATURE OF REPORT, NOTICE	, OR OTHER DATA)
	Oct	cober 23 , 1963
	42 South 23 East S (Twp.) (Range)  San Juan County (County or Subdivision)	ft. from E line of sec. 4  (Meridian)  (State or Territory)
	DETAILS OF WORK	
State names of and expected depths to obje	ective sands; show sizes, weights, and lengths of ping points, and all other important proposed w	proposed casings; indicate mudding jobs, cemen vork)
1) Spudded 5:00 PM 7-1 2) Drilled to 208', recemented with 150 s 3) Drilled 6-1/4" hole 10 feet drilling mu	.3-63 in 7 jts of 10-3/4", 32.7 ix regular cement, 2% CaC i to 5536°. Ran DST #1 f	5# new CF&I surface casir l. rom 5485-5536. Recovered . and Microlog.
		Survey before operations may be commenced.

to in approved. Budg it Bureau No. 42-R355.4. Form 9-330 23E Navajo Released 3-2-64 U. S. LAND OFFICE .... LEASE OR PERMIT TO PROSPECT -----UNITED STATES 428 DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY LOG OF OIL OR GAS WELL LOCATE WELL CORRECTLY Company Compass Exploration, Inc. Address 101 University Boulevard Lessor of Tract Dunes Field Wildest State Utah Well No. 1-4 Sec. 4 T. 42 R. 23 Meridian SLPM County San Juan The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records. Title Minager of Exploration & Date \_\_October\_25, 1963\_\_\_\_ Production The summary on this page is for the condition of the well at above date. OIL OR GAS SANDS OR ZONES (Denote gas by G) No. 4, from \_\_\_\_\_ to \_\_\_\_ No. 6, from -----INPORTANT WATER SANDS No. 1. from No. 3, from to No. 4, from \_\_\_\_\_ to \_\_\_\_ **CASING RECORD** Perforated Threads per inch Amount Kind of shoe Cut and pulled from Purpose Make there were reast changes were in the location. Afthe well has been daying a second and terrel and the second an MUDDING AND CEMENTING RECORD Size casing Number sacks of cement Method used Mud gravity Where set Displacement ..... PLUGS AND ADAPTERS Heaving plug Material Length Depth set Adapters---Material Size

		1					
Heaving p	lug-Material		PLUGS A				h set
Adapters-	-Material		SHOOT				
Size	Shell used	Explosive u		antity	Date	Depth shot	Depth cleaned cut
•				·			
	i .	1				į	
Rotary too	ols were used fr	om Swefa		LS US		and from	feet to
	:	:		1			feet to
				PATES			
				!			<b>A8/15/63</b> , 1
	i	ļ		b			% was oil;
emulsion;% water; and% sediment.				- II		• ,	
	well, cu. it. pe pressure, lbs. j			i	ons gaso	une per 1,000 cu	. ft. of gas
	o Johnson	Company Toolpus					•
	• Johnson	Toolpus		ION R	<del></del>		, I
FROM- FROM- Cface 00' 15 50 90 50 35	• Johnson	Tool pusi	FORMAT	G1 Ch Sh Mo De Or He	ECORD	FORMATI NYON Group IP	, I
Cheyenn	1400 2113 2150 2750 4383 5313	Tool pusi	FORMAT  OTAL FEET  1400 715 35 240 360 1635 930	G1 Ch Sh Mo De Or He	en Carinle inarus enkop: Chellgan Rermosa	FORMATI NYON Group IP	, I

FORMATION RECORD—Continued

LEASE OF PERMIT TO PROPERT .....

TO 14-151 300 TO 10 TO 1

1 35 days 8-320

Adaptees -- Material ...

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

## LOG OF OIL OR GAS WELL

with the reasons for the work and its results. ''sidetracked.'' or left in the well, give its size.	complete history of the well. Please state in detail the dates of red.  If there were any changes made in the casing, state fully, and if and location. If the well has been dynamited, give date, size, position water, state kind of material used, position, and results of pure	any casing wa on, and numbe
Sales Western Samewer for Stabe	Account Ring of state Visional pulled from	
		15
cemented with 150 sax re	ts. 10-3/4"/32,75% new Crai surface ( gular coment, 2% CaCl.	casing
Drilled 6-1/4" hole to 5 PORisest drilling must.  Drilled to total depth 5	706'. Ran DST #1 Trom 5485-5536. R	eco vered
No. 1, from annianta and an attention and antique and analogue analogue and analogue analog	Mer USGS instructions 8/15/63.	
133	A. OR GAS SAMUS OR ZONES (Devote gas by G)	
Commenced drilling	, 18tha. Buished drilling 272.	11. (
The summany on this page is for t	the condition of the well at above cate.	g ger je
894te i aliatabaa paar alia ja alitesä. i i		
	s a complete and overest record of the well and all week	
Pocacion TSBN 10 💆 of 1 mil Pine a	and hatelets $W_{W_{i}}$ of the Time of theretaes with Fig.	ALLO MUSTER
	i, seel. Meeddan lillistadka lillillill County ii likas li	
Logson or Tracia W. U.A.	the contract of the contract o	

SOUTH AND SOUTH TO SEE STATE OF SOUTH SOUT

### COMPASS EXPLORATION, INC.

IOI UNIVERSITY BOULEVARD
DENVER 6, COLOFADO

October 28, 1963

The State of Utah
Oil & Gas Conservation
Commission
310 Newhouse Building
Salt Lake City, Utah

#### Gentlemen:

Enclosed herewith are copies of the Sundry Notices and Reports on Wells and the Log of Oil or Gas Well on our #1-4 Dunes well located in Section 4, Township 42 South, Range 23 East, San Juan County, New Mexico.

Yours very truly,

COMPASS EXPLORATION, INC.

P. J. Farrelly

Manager of Exploration

and Production

PJF/gm

Enclosures (4)



# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 959
Farmington, New Mexico

Feb. 3, 1964

Mr. Harvey Coonts
Utah Oil & Gas Conservation Comm.
Moab, Utah

Dear Harvey:

The following abandoned wells in San Juan Co., Utah were inspected and approved by this office during January:

Champlin Oil & Refg. No. 2 Navajo 1:0, No. 21-43S-25E Continental Oil Co., No. 1 Navajo "E", No. 24-42S-23E Shell Oil Co., No. 2 Tohonadla, No. 7-42S-22E Miami Petroleum No. B-1 Navajo Tr. 12, SE-428-41S-21E

The following abandoned wells were inspected but not approved:

APCO No. 1-X-28 Navajo, Nw 28-43S-25E

Compass Exploration, No. 1-28 Gothic Mesa South, NE 28-41S-23E

Compass Exploration, No. 1-4 Dunes, Sw 44-42S-23E

Sunray "DX" No. 1 Navajo "B", Nw 44-43S-23E

P. T. McGrath